



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007097384

Filing Deadline: January 15, 2016

FRN: 0001843432

Filing Date: 01/14/2016 07:48 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: American Samoa License, Inc.

Brand Names: Bluesky
Bluesky Communications

PO Box: 478

Street Address: 478 Laufou Shopping Center

City: Pago Pago

State: AS

Zip Code: 96799

Contact Name: Adolfo Montenegro

Contact Phone: (684) 699-2759

Contact Fax: (684) 699-6593

Contact Email: amontenegro@blueskypacificgroup.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: www.bluesky.as

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Bluesky maintains a public website displaying a selection of handsets and devices, including those that are HAC-compliant. Bluesky's sales staff are trained to assist existing and prospective customers to identifying HAC-compliant handsets and devices. Existing or prospective customers typically find whether a handset or device is HAC-compliant by either checking packaging containing the handset/device or by consulting the packaging insert or operations manual.

Methodology for Functionality Levels

Bluesky offers HAC-compatible handsets and devices in all major price categories, including low-cost (\$100), moderate-cost (\$100-\$250), and high-end feature-rich (more than \$250). Bluesky sales staff is trained to assist all existing and prospective customers looking for an HAC-compliant handset/device with features and services typical of its price category can be found that meets each customer's price range.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 45

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	25	56%	1	2%	19	42%	45
WCDMA	10	91%			1	9%	11

Handset 1: Alcatel OT-890

Handset Maker

Alcatel

Handset Model Name

OT-890

FCC ID

RAD165

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

C

Remarks

Handset 2: Cat B100

Handset Maker

Cat

Handset Model Name

B100

FCC ID

ZL5B100

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 07/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

B

Remarks

Handset 3: Cat B15

Handset Maker

Cat

Handset Model Name

B15

FCC ID

ZL5B15AWS

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 4: Cat B15Q

Handset Maker

Cat

Handset Model Name

B15Q

FCC ID

ZL5B15Q

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 04/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 5: Cat B25

Handset Maker

Cat

Handset Model Name

B25

FCC ID

ZL5-B25

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 04/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

C

Remarks

Handset 6: HTC ONE M9

Handset Maker

HTC

Handset Model Name

ONE M9

FCC ID

NM80PJA110

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 09/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 7: Huawei Y201

Handset Maker

Huawei

Handset Model Name

Y201

FCC ID

QISM866

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

C

Remarks

Handset 8: i Phone 5S

Handset Maker

i Phone

Handset Model Name

5S

FCC ID

BCG-E2642A

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 9: i Phone 6

Handset Maker

i Phone

Handset Model Name

6

FCC ID

BCG-E2816A

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 10: i Phone 6 Plus

Handset Maker

i Phone

Handset Model Name

6 Plus

FCC ID

BCG-E2817A

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 11: i Phone 6s

Handset Maker

i Phone

Handset Model Name

6s

FCC ID

BCG-E2946A

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 12: i Phone 6s Plus

Handset Maker

i Phone

Handset Model Name

6s Plus

FCC ID

BCG-E2944A

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks**Handset 13: LG G2****Handset Maker**

LG

Handset Model Name**FCC ID**

G2

ZNFD800, ZNFD801, ZNFD802

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 07/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 14: LG G4

Handset Maker

LG

Handset Model Name

G4

FCC ID

ZNFH815, ZNFH818P, ZNFH811, ZNFH810

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 08/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 15: Motorola G

Handset Maker

Motorola

Handset Model Name

G

FCC ID

IHDT56PF1, IHDT56PF2, IHDT56PG1, IHDT56PG3

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 16: Nokia 208

Handset Maker

Nokia

Handset Model Name

208

FCC ID

QTLRM-950

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

C

Remarks

Handset 17: Nokia 2730

Handset Maker

Nokia

Handset Model Name

2730

FCC ID

QTLRM-578X

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 05/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

C

Remarks

Handset 18: Kodak IM5

Handset Maker

Kodak

Handset Model Name

IM5

FCC ID

ZL5IM5

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 12/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 19: Turbo S3502L

Handset Maker

Turbo

Handset Model Name

S3502L

FCC ID

2AEWOS3502L-AS

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

C

Remarks

Handset 20: Turbo Plus S4008

Handset Maker

Turbo Plus

Handset Model Name

FCC ID

S4008

2AF9OS4008-AS

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 11/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

C

Remarks

Handset 21: Kodak SP4

Handset Maker

Kodak

Handset Model Name

SP4

FCC ID

ZL5SP4

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 12/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 22: Posh Mobile Equal S700

Handset Maker

Posh Mobile

Handset Model Name

Equal S700

FCC ID

2ABN6S700

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

C

Remarks

Handset 23: Posh Mobile Kick X511

Handset Maker

Posh Mobile

Handset Model Name

FCC ID

Kick X511

2ABN6X511

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 24: Posh Mobile Memo S580

Handset Maker

Posh Mobile

Handset Model Name

Memo S580

FCC ID

2ABN6S580

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

C

Remarks

Handset 25: Posh Mobile Orion Pro

Handset Maker

Posh Mobile

Handset Model Name

Orion Pro

FCC ID

2ABN6X500

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

C

Remarks

Handset 26: Posh Mobile Pegasus 3G S400

Handset Maker

Posh Mobile

Handset Model Name

FCC ID

Pegasus 3G S400

2ABN6S400

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

C

Remarks

Handset 27: Posh Mobile Revel Pro

Handset Maker

Posh Mobile

Handset Model Name

Revel Pro

FCC ID

2ABN6X510

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

C

Remarks

Handset 28: Posh Mobile Revel S500

Handset Maker

Posh Mobile

Handset Model Name

Revel S500

FCC ID

2ABN6S500

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

2100 MHz GSM

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

C

Remarks

Handset 29: Posh Mobile Titan HD E500

Handset Maker

Posh Mobile

Handset Model Name

Titan HD E500

FCC ID

2ABN6E500

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 30: Posh Mobile Titan Max HD

Handset Maker

Posh Mobile

Handset Model Name

Titan Max HD

FCC ID

2ABN6E600

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 11/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 31: Samsung Galaxy J100

Handset Maker

Samsung

Handset Model Name

Galaxy J100

FCC ID

A3LSMJ100VPP, A3LSMJ100ML

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

B

Remarks

Handset 32: Samsung Galaxy J110

Handset Maker

Samsung

Handset Model Name

Galaxy J110

FCC ID

A3LSMJ110F, A3LSMJ110L, A3LSMJ110M

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

B

Remarks

Handset 33: Samsung GALAXY J5

Handset Maker

Samsung

Handset Model Name

GALAXY J5

FCC ID

A3LSMJ500FN, A3LSMJ500H, A3LSMJ500F, A3LSMJ500M

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 34: Samsung GALAXY J7

Handset Maker

Samsung

Handset Model Name

GALAXY J7

FCC ID

A3LSMJ700F, A3LSMJ700H, A3LSMJ700M, A3LSMJ700K

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 35: Samsung GALAXY NOTE 5

Handset Maker

Samsung

Handset Model Name

FCC ID

GALAXY NOTE 5

A3LSMN920A, A3LSMN920T

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 12/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 36: Samsung Galaxy S5

Handset Maker

Samsung

Handset Model Name

Galaxy S5

FCC ID

A3LSMG900F, A3LSMG900A, A3LSMG900T

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 37: Samsung GALAXY S6

Handset Maker

Samsung

Handset Model Name

GALAXY S6

FCC ID

A3LSMG925A, A3LSMG925T, A3LSMG925F, A3LSMG925I

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 38: Samsung GALAXY S6 EDGE

Handset Maker

Samsung

Handset Model Name

FCC ID

GALAXY S6 EDGE

A3LSMG928A, A3LSMG928T

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 09/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 39: Samsung Note 4

Handset Maker

Samsung

Handset Model Name

Note 4

FCC ID

A3LSMN910A, A3LSMN910T

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 09/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 40: Samsung Note Edge

Handset Maker

Samsung

Handset Model Name

Note Edge

FCC ID

A3LSMN915G, A3LSMN915A, A3LSMN915T, A3LSMN915F

Air Interfaces/Frequency Bands

850 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 05/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 41: Samsung S275M

Handset Maker

Samsung

Handset Model Name

S275M

FCC ID

A3LSGHS275G

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

C

Remarks

Handset 42: Samsung S6 Edge Plus

Handset Maker

Samsung

Handset Model Name

FCC ID

S6 Edge Plus

A3LSMG928A, A3LSMG928T, A3LSMG928I, A3LSMG928F

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 12/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 43: Sony Ericsson Xperia Z3

Handset Maker

Sony Ericsson

Handset Model Name

Xperia Z3

FCC ID

PY7PM-0801

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 09/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

A

Remarks

Handset 44: ZTE V788A

Handset Maker

ZTE

Handset Model Name

V788A

FCC ID

Q78-Z788G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

C

Remarks

Handset 45: ZTE Z222

Handset Maker

ZTE

Handset Model Name

Z222

FCC ID

Q78-Z222

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 05/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

C

Remarks

Certification

This Report has been certified by:

Adolfo Montenegro CEO

01/14/2016 07:48 PM

Reference Copy